


ELATION - ELAR QUAD BAR [ver 1.0]

DMX Channel Functions / Values

Mode/Channel					Value	Function
4	5	8	10	16		
1	1	1	1			<b>RED - All LEDs [1-4]</b>
					0-255	Red ( 0-Black , 255-100% Red )
2	2	2	2			<b>GREEN - All LEDs [1-4]</b>
					0-255	Green ( 0-Black , 255-100% Green )
3	3	3	3			<b>BLUE - All LEDs [1-4]</b>
					0-255	Blue ( 0-Black , 255-100% Blue )
4	4	4	4			<b>WHITE - All LEDs [1-4]</b>
					0-255	White ( 0-Black , 255-100% White )
				1		<b>RED - LED [1]</b>
					0-255	Red ( 0-Black , 255-100% Red )
				2		<b>GREEN - LED [1]</b>
					0-255	Green ( 0-Black , 255-100% Green )
				3		<b>BLUE - LED [1]</b>
					0-255	Blue ( 0-Black , 255-100% Blue )
				4		<b>WHITE - LED [1]</b>
					0-255	White ( 0-Black , 255-100% White )
				5		<b>RED - LED [2]</b>
					0-255	Red ( 0-Black , 255-100% Red )
				6		<b>GREEN - LED [2]</b>
					0-255	Green ( 0-Black , 255-100% Green )
				7		<b>BLUE - LED [2]</b>
					0-255	Blue ( 0-Black , 255-100% Blue )
				8		<b>WHITE - LED [2]</b>
					0-255	White ( 0-Black , 255-100% White )
				9		<b>RED - LED [3]</b>
					0-255	Red ( 0-Black , 255-100% Red )
				10		<b>GREEN - LED [3]</b>
					0-255	Green ( 0-Black , 255-100% Green )
				11		<b>BLUE - LED [3]</b>
					0-255	Blue ( 0-Black , 255-100% Blue )
				12		<b>WHITE - LED [3]</b>
					0-255	White ( 0-Black , 255-100% White )
				13		<b>RED - LED [4]</b>
					0-255	Red ( 0-Black , 255-100% Red )
				14		<b>GREEN - LED [4]</b>
					0-255	Green ( 0-Black , 255-100% Green )
				15		<b>BLUE - LED [4]</b>
					0-255	Blue ( 0-Black , 255-100% Blue )
				16		<b>WHITE - LED [4]</b>
					0-255	White ( 0-Black , 255-100% White )



DMX Channel Functions / Values

Mode/Channel					Value	Function
4	5	8	10	16		
		5	5			<b>SHUTTER, STROBE</b>
					0-31	All LEDs OFF
					32-63	All LEDs ON
					64-95	Strobe Effect SLOW to FAST
					96-127	All LEDs ON
					128-159	Pulse Effect In Sequences
					160-191	All LEDs ON
					192-223	Random Strobe Effect SLOW to FAST
					224-255	All LEDs ON
	5	6	6			<b>DIMMER INTENSITY</b>
					0-255	Intensity 0 to 100%
			7			<b>CHASE MACROS</b>
					0-10	ALL LEDs OFF
					11-40	Chase Macro 1
					41-70	Chase Macro 2
					71-100	Chase Macro 3
					101-130	Chase Macro 4
					131-160	Chase Macro 5
					161-190	Chase Macro 6
					191-220	Chase Macro 7
					221-255	Chase Macro 8
			8			<b>CHASE SPEED</b>
					0-255	FAST to SLOW
		7	9			<b>COLOR TEMPERATURE</b>
					0-31	ALL LEDs OFF
					32-63	White 2700k
					64-95	White 3200k
					96-127	White 4300k
					128-159	White 5600k
					160-191	White 6500k
					192-223	White 8000k
					224-255	Store White Balance Enabled
		8	10			<b>COLOR MODE</b>
					0-63	White Balance Disabled
					64-189	White Balance Disabled
					190-219	White Balance Disabled
					220-230	White Balance Disabled
					231-254	White Balance Disabled
					255	Store a New White Balance

**Elation Professional USA** | 6122 S. Eastern Ave. | Los Angeles, CA. 90040  
323-582-3322 | 323-832-9142 fax | [www.elationlighting.com](http://www.elationlighting.com) | [support@elationlighting.com](mailto:support@elationlighting.com)

---

**Elation Professional B.V.** | Junostraat 2 | 6468 EW Kerkrade, Netherlands  
+31 45 546 85 66 | +31 45 546 85 96 fax | [www.elationlighting.eu](http://www.elationlighting.eu) | [info@elationlighting.eu](mailto:info@elationlighting.eu)

